

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	48675	aspect adj ratio	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2	BRS	L2	1648575	distort or change	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3	BRS	L3	13952	1 and 2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
4	BRS	L4	1302	image near scaling	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5	BRS	L5	1368036	horizontal\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
6	BRS	L6	656	4 and 5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
7	BRS	L7	100	3 and 6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
8	BRS	L8	48196	345/\$.cccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
9	BRS	L9	25	7 and 8	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
10	BRS	L10	22231	computer near display	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
11	BRS	L11	6	"720x480"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
12	BRS	L12	68142	image near stor\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
13	BRS	L13	101	DVD adj medium	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
14	BRS	L14	18	10 and 13	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
15	BRS	L15	0	"848x480"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
16	BRS	L16	37	"848" and 4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
17	BRS	L17	90134	image adj processing	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
18	BRS	L18	713	horizontal adj expansion	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
19	BRS	L19	8	horizontal near resize	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
20	BRS	L20	2437	horizontal adj resolution	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
21	BRS	L21	1072	2 and 20	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
22	BRS	L22	221	8 and 21	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Issue Date	Document ID	Pages	Title	Current OR	Current XRef
1	20020509	US 20020056095 A1	26	Digital video contents browsing apparatus and method	725/38	
2	20020425	US 20020049832 A1	20	Enhanced video programming system and method for incorporating and displaying retrieved integrated internet information segments	709/218	709/203
3	20020411	US 20020042813 A1	17	Enhanced video programming system and method for incorporating and displaying retrieved integrated internet information segments	709/203	705/14; 725/60
4	20020328	US 20020038383 A1	22	ENHANCED VIDEO PROGRAMMING SYSTEM AND METHOD FOR INCORPORATING AND DISPLAYING RETRIEVED INTEGRATED INTERNET INFORMATION SEGMENTS	709/245	709/203; 709/218; 725/110

	Issue Date	Document ID	Pages	Title	Current OR	Current XRef
5	20020328	US 20020038344 A1	21	Enhanced video programming system and method for incorporating and displaying retrieved integrated internet information segments	709/203	709/245; 725/136
6	20020321	US 20020035615 A1	21	Enhanced video programming system and method for incorporating and displaying retrieved integrated internet information segments	709/218	725/110
7	20020321	US 20020035614 A1	16	Enhanced video programming system and method for incorporating and displaying retrieved integrated internet information segments	709/218	709/203; 709/245; 725/110
8	20020321	US 20020035601 A1	21	Enhanced video programming system and method for incorporating and displaying retrieved integrated internet information segments	709/203	709/245; 725/136

	Issue Date	Document ID	Pages	Title	Current OR	Current XRef
9	20020321	US 20020035600 A1	21	Enhanced video programming system and method for incorporating and displaying retrieved integrated internet information segments	709/203	709/245; 725/136
10	20011101	US 20010037376 A1	20	Enhanced video programming system and method for incorporating and displaying retrieved integrated internet information segments	709/218	709/219; 725/112; 725/136
11	20020409	US 6370318 B1	12	PC analog output signal control for copy protect	386/94	380/203
12	20011211	US 6330595 B1	16	Enhanced video programming system and method for incorporating and displaying retrieved integrated internet information segments	709/219	709/329
13	20011002	US 6297797 B1	22	Computer system and closed caption display method	345/467	345/629; 348/461; 348/468; 348/569

	Issue Date	Document ID	Pages	Title	Current OR	Current XRef
14	20000912	US 6119177 A	14	Digital video disk ROM interfacing apparatus and method thereof	710/34	710/29
15	20000425	US 6055314 A	26	System and method for secure purchase and delivery of video content programs	380/228	380/239; 380/278; 705/55; 713/160
16	20000125	US 6018768 A	17	Enhanced video programming system and method for incorporating and displaying retrieved integrated internet information segments	709/218	725/110; 725/112
17	19980707	US 5778181 A	34	Enhanced video programming system and method for incorporating and displaying retrieved integrated internet information segments	725/110	709/219; 725/109; 725/112
18	19980630	US 5774664 A	36	Enhanced video programming system and method for incorporating and displaying retrieved integrated internet information segments	725/110	725/109; 725/112

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	48675	aspect adj ratio	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2	BRS	L2	1648575	distort or change	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3	BRS	L3	13952	1 and 2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
4	BRS	L4	1302	image near scaling	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5	BRS	L5	1368036	horizontal\$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
6	BRS	L6	656	4 and 5	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
7	BRS	L7	100	3 and 6	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
8	BRS	L8	48196	345/\$.cccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
9	BRS	L9	25	7 and 8	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
10	BRS	L10	22231	computer near display	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
11	BRS	L11	6	"720x480"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
12	BRS	L12	68142	image near stor\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
13	BRS	L13	101	DVD adj medium	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
14	BRS	L14	18	10 and 13	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Issue Date	Document ID	Pages	Title	Current OR	Current XRef
1	20021031	US 20020158813 A1	35	Head mounted type image display device	345/7	
2	20011108	US 20010038746 A1	15	Layered coding of image data using separate data storage tracks on a storage medium	386/123	386/125
3	20020813	US 6433835 B1	121	Expanded information capacity for existing communication transmission systems	348/608	348/723
4	20011106	US 6313822 B1	27	Method and apparatus for modifying screen resolution based on available memory	345/698	345/545; 345/629; 345/660; 345/788

	Issue Date	Document ID	Pages	Title	Current OR
1	20021031	US 20020158893 A1	12	Video and graphics system with square graphics pixels	345/698
2	20021024	US 20020154123 A1	26	Image scaling	345/472
3	20021017	US 20020149588 A1	22	Method and system for character spacing in graphics terminal emulation	345/468
4	20020718	US 20020093521 A1	15	Methods and systems for improving display resolution in images using sub-pixel sampling and visual error filtering	345/698

	Issue Date	Document ID	Pages	Title	Current OR
5	20020425	US 20020047855 A1	16	Display panel with aspect ratio of matrix-arrayed pixels set to predetermined value, and display device using such display panel	345/698
6	20011227	US 20010055034 A1	14	System and method for optimizing image resolution using pixelated imaging devices	345/698
7	20020903	US 6445372 B1	18	Flat-panel display device	345/99
8	20020702	US 6414698 B1	14	Method for enabling adaptive sizing of display elements	345/800
9	20020326	US 6362853 B1	13	Method and apparatus for displaying images	348/556

	Issue Date	Document ID	Pages	Title	Current OR
10	20020219	US 6348931 B1	24	Display control device	345/699
11	20011225	US 6333751 B1	11	Multiscanning type display apparatus	345/698
12	20011204	US 6326979 B1	6	System for and method of calibrating a computer monitor	345/660
13	20010626	US 6252590 B1	19	Method and apparatus for image processing and display system	345/667
14	20010522	US 6236388 B1	13	Image display system for displaying images of different resolutions	345/698
15	20010410	US 6215485 B1	28	Storing effects descriptions from a nonlinear editor using field chart and/or pixel coordinate data for use by a compositor	345/698

	Issue Date	Document ID	Pages	Title	Current OR
16	20010410	US 6215467 B1	48	Display control apparatus and method and display apparatus	345/660
17	20010130	US 6181317 B1	62	Display and method of and drive circuit for driving the display	345/698
18	20010123	US 6177922 B1	45	Multi-scan video timing generator for format conversion	345/698
19	20001010	US 6130660 A	20	System and method for synthesizing high resolution video	345/698
20	20000620	US 6078317 A	12	Display device, and display control method and apparatus therefor	345/204
21	19980317	US 5729255 A	19	Image edit method and apparatus having alarm indication	345/723

	Issue Date	Document ID	Pages	Title	Current OR
22	19980210	US 5717939 A	54	Method and apparatus for entering and manipulating spreadsheet cell data	707/503
23	19971007	US 5675390 A	34	Home entertainment system combining complex processor capability with a high quality display	345/717
24	19970812	US 5657034 A	45	Display apparatus and method for displaying signals of different aspect ratios left and right viewing	345/8
25	19970204	US 5600347 A	10	Horizontal image expansion system for flat panel displays	345/667

	Issue Date	Document ID	Pages	Title	Current OR
26	19920616	US 5122789 A	14	Video display controller for enlarging visual images depending upon display unit	345/671
27	19920505	US RE33916 E	8	Digital display system	345/22
28	19910611	US 5023602 A	9	Raster graphical display apparatus	345/550
29	19810811	US 4283724 A	15	Variable size dot matrix character generator in which a height signal and an aspect ratio signal actuate the same	345/26
30	19801230	US 4242678 A	19	Variable size character generation using neighborhood-derived shapes	345/472.2
31	19790918	US 4168489 A	8	Full page mode system for certain word processing devices	382/301

	Issue Date	Document ID	Pages	Title	Current OR
32	19751007	US 3911420 A	18	Display system including a high resolution character generator	345/472
33	19730731	US 3750135 A	18	LOW RESOLUTION GRAPHICS FOR CRT DISPLAYS	345/471

	Type	L #	Hits	Search Text	DBs
1	BRS	L1	90134	image adj processing	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2	BRS	L2	2437	horizontal adj resolution	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3	BRS	L4	6	"800 x 600"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
4	BRS	L5	6	"720x480"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
5	BRS	L6	2	2 and 3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
6	BRS	L3	416	DVD and (image adj stored)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
7	BRS	L7	2640	DVD adj player	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
8	BRS	L8	4	2 and 7	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
9	BRS	L9	323	1 and 2	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
10	BRS	L10	0	3 and 9	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
11	BRS	L11	83	image near resize	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
12	BRS	L12	59	image near (scaled adj up)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
13	BRS	L13	0	7 and 12	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
14	BRS	L14	243	(345/698-699) .ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Type	L #	Hits	Search Text	DBs
15	BRS	L15	177	(345/472).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
16	BRS	L16	21	(345/472.1).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
17	BRS	L17	21	(345/472.2).ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
18	BRS	L18	1	2 and 12	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
19	BRS	L19	48675	aspect adj ratio	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
20	BRS	L20	454	14 or 15 or 16 or 17	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
21	BRS	L21	33	19 and 20	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB